





















# W#LFPUP

## **REAR RAMP & TRAVEL TRAILERS**

	14CCW	16BHSW	16CM	16EV	16FQW	16KHW	17EV	17JW	17SC	18RJBW
Dry Hitch Weight	375-LBS	475-LBS	426-LBS.	393-LBS.	445-LBS.	535-LBS.	350-LBS.	607-LBS.	460-LBS.	655-LBS.
Ship Weight	3295-LBS.	3575-LBS	3801-LBS.	3037-LBS.	3600-LBS.	3970-LBS.	3030-LBS	4292-LBS.	4145-LBS.	3860-LBS.
Unloaded Vehicle Weight	3314-LBS.	3594-LBS.	3820-LBS	2995-LBS.	3619-LBS.	3989-LBS.	3030-LBS	4311-LBS.	4164-LBS.	3879-LBS.
Cargo Carrying Capacity	2161-LBS.	1981-LBS.	1706-LBS.	2498-LBS.	1926-LBS.	1646-LBS.	2420-LBS.	1396-LBS.	1396-LBS.	1876-LBS.
Axle Weight	2920-LBS.	3100-LBS.	3375-LBS.	2644-LBS.	3155-LBS.	3435-LBS.	2680-LBS.	3685-LBS.	3685-LBS.	3205-LBS.
Exterior Length	19'-3"	21'-9"	23'10"	21'-9"	21'-10"	23'-9"	21'-10"	23'-11"	23'10"	22'-8''
Exterior Height w/A/C	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"
Exterior Width	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"
Grey Capacity	28-GAL.									
Black Capacity	28-GAL.									
Fresh Capacity	26-GAL.									

## TOYHAULER

18RJBW



## WALF PUP FEATURES

#### LIMITED PACKAGE

13.5K BTU Air Conditioner

20,000 BTU Furnace

Premium Bedding and Comforter

**Night Shades** 

**LED Interior Lights** 

12 V, High Efficiency 7.1 Cubic Foot

Refrigerator with Travel Lock

Upgraded Stainless Range Hood with

Light and Fan

Flush mount Range with Cover

Seamless Countertop

Inside and Outside Speakers

**USB-C Charging Stations** 

Bedside Inverter

Shower Tub Surround

Exclusive Solar Thermo Controlled Reflective

Tinted Safety Glass Windows

Blackout Glass, Safety Slam, Friction Hinge Entry

Door with Window and Shade Prep

Cherokee Exclusive Stable Step with Oversized

Landing

Full Length Power Awning

Exterior LED Light Strip at Awning

Cherokee Backup Camera System

Detachable Power Cord

**External Scare Light** 

Outside Mini-Kitchen \* Where Available

Outdoor Shower with Hot and Cold Water

12 Volt Tank Heaters

Wolf Pup Quick Jack

Four Stabilizer Jacks

Spare Tire

Tire Pressure Indicators

Ladder Prep

Tongue and Groove Plywood Flooring

Power Gear Frame Technology and Space Saver

Rail Design

Seamless Roof Membrane with Heat Reflectivity

Ramp Door Patio System

\* Toyhauler Models Only

Removable Gaucho Brackets

\* Toyhauler Models Only

Moonshade \* Toyhauler Models Only

Adventure Package \* Aggressive Off-road Tires, Diamond Plated Exterior & Lifted Frame

### **ADVANTAGE PACKAGE**

Juice Pack \* 200W Roof Mounted Solar Panel, 30 Amp Solar Charger, Volt Meter & Battery Disconnect

14" Tires for improved towing in place of 13"

26" Wide Door IPO 22" Door

Aerodynamic Smooth Radius Front Profile

High Impact Front Metal IPO Corrugated Metal

Exterior 110V Recept

Large Exterior Folding Assist Handle

Monitor Panel for Tanks and Battery Levels

Outside Storage Door

TV Antenna and Hookups

**RV Grill Quick Connect** 

Roadside Assistance

#### **CAMPING PACKAGE**

55 Amp Converter

Tankless Water Heather

Bathroom Fan

Foot Flush Toilet

High Flo Water Pump

High Output Cooktop

High Rise Faucet

Large High Output Microwave

Nitrogen Filled Tires

One Piece, Walkable Decked Roof

Oversized Dinette and Removable Table

#### SAFETY PACKAGE

Carbon Monoxide Detector Emergency Exit Windows Fire Extinguisher

GFI Protective Outlet

LP Gas Detector

Safety Glass Windows

**Smoke Detector** 

\* Not All Features are Available on EV Models

# CREY W#LF



## 20RDSE





## 22CE

# TRAVEL TRAVEL TRAILERS

	19SM	20RDSE	22CE
Dry Hitch Weight	526-LBS.	450-LBS.	615-LBS
Ship Weight	4788-LBS.	4015-LBS.	4915-LBS
Unloaded Vehicle Weight	4826-LBS.	4053-LBS.	4953-LBS.
Cargo Carrying Capacity	2700-LBS.	3397-LBS.	2662-LBS
Axle Weight	4262-LBS.	3565-LBS.	4300-LBS
Exterior Length	24'-5"	25'-4"	26'-2"
Exterior Height w/A/C	10'-6"	10'-6"	10'-6"
Exterior Width	97"	97"	97"
Grey Capacity	38 GAL	38 GAL.	38 GAL
Black Capacity	38 GAL	28 GAL.	38 GAL
Fresh Capacity	52-GAL	52-GAL.	52-GAL



















# TRAVEL TRAVEL TRAILERS

	22MKSE	23DBH	23MK	26BRB	26DBH	26EV	26DJSE
Dry Hitch Weight	585-LBS.	621-LBS.	608-LBS.	811-LBS.	725-LBS.	605-LBS	574-LBS
Ship Weight	4303-LBS.	5342-LBS.	5025-LBS.	6768-LBS.	5757-LBS.	4425-LBS	4558-LBS
Unloaded Vehicle Weight	4341-LBS.	5380-LBS.	5063-LBS.	6730-LBS.	5795-LBS.	4425-LBS	4596-LBS
Cargo Carrying Capacity	3244-LBS.	2241-LBS.	2545-LBS.	1043-LBS.	1930-LBS.	3180-LBS.	2978-LBS
Axle Weight	3718-LBS.	4721-LBS.	4417-LBS.	5919-LBS.	5032-LBS.	3820-LBS.	3984-LBS
Exterior Length	26'-9"	29'-5"	29'-0"	32'-7"	31' 9"	29'-6"	29'-6"
Exterior Height w/A/C	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"
Exterior Width	97"	97"	97"	97"	97"	97"	97"
Grey Capacity	38 GAL	38 GAL					
Black Capacity	28 GAL	38 GAL	38 GAL	28 GAL.	28 GAL	28 GAL	28 GAL
Fresh Capacity	52-GAL.	52-GAL	52-GAL	52-GAL	52-GAL	52-GAL	52-GAL.














# TRAVEL TRAVEL TRAILERS

	26LK	2688	27LH	29NM	29QB	29TE
Dry Hitch Weight	815- LBS	700-LBS	755- LBS	905-LBS	977-LBS	837-LBS
Ship Weight	5735-LBS	6145-LBS	5915- LBS	6820-LBS	6580-LBS	6390-LBS
Unloaded Vehicle Weight	5773 LBS	6183- LBS	5953-LBS	6858-LBS	6618-LBS	6428- LBS
Cargo Carrying Capacity	2042 -LBS	1517 -LBS	1802- LBS	1047-LBS	1,359- LBS	1409-LBS
Axle Weight	4920 -LBS	5445-LBS	5160-LBS	5915-LBS	5603-LBS	5553-LBS
Exterior Length	31'- 9"	30'-11"	33'6"	37' 7"	36'-8"	36'-8"
Exterior Height w/A/C	10' -8"	10'-6"	10'-8"	10'-8"	10'-8"	10'-8"
Exterior Width	96"	97"	97"	97"	97"	97"
Grey Capacity	38-GAL	38-GAL.	38-GAL.	38-GAL.	38-GAL	38-GAL.
Black Capacity	28-GAL.	38-GAL.	38-GAL.	38-GAL.	38-GAL	38-GAL.
Fresh Capacity	52-GAL.	52-GAL.	52-GAL.	52-GAL.	52-GAL	52-GAL.









## 24RRT



## 25RRT



## 27RR







# CREY W&LF

	18RR	22RR	24RRT	25RRT	27RR	
Dry Hitch Weight	550-LBS	686-LBS.	995-LBS	690-LBS.	1159-LBS.	
Ship Weight	4425-LBS	4833-LBS.	5815-LBS	5065-LBS.	6533-LBS.	
Unloaded Vehicle Weight	4463-LBS	4871-LBS.	5853-LBS	5103-LBS.	6571-LBS.	
Cargo Carrying Capacity	3087-LBS	2815-LBS.	2142-LBS	2587-LBS.	1588-LBS.	
Axle Weight	3875-LBS	4147-LBS.	4820-LBS	4375-LBS.	5374-LBS.	
Exterior Length	24'-1"	29'-0"	33'- 4"	30'-10"	34'-2"	
Exterior Height w/ AC	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	
Exterior Width	97"	96"	97"	97"	97"	
Grey Capacity	28 GAL	38 GAL	38 GAL	38 GAL	38 GAL	
Black Capacity	28 GAL	28 GAL	38 GAL	38 GAL	38 GAL	
Fresh Capacity	52-GAL	52-GAL	52-GAL	52-GAL	52-GAL	















# 

	274WK	294GEBG	306MM	
Dry Hitch Weight	895-LBS.	785-LBS.	900-LBS.	
Ship Weight	7105-LBS.	6940-LBS.	8540-LBS.	
Unloaded Vehicle Weight	7143-LBS.	6978-LBS.	8578-LBS.	
Cargo Carrying Capacity	2842-LBS.	4007-LBS.	2522-LBS.	
Axle Weight	6210-LBS.	6155-LBS.	7640-LBS.	
Exterior Length	33'-2"	36'-8"	40'-1"	
Exterior Height w/ AC	11'-1"	11'-1"	11'-1"	
Exterior Width	97"	97"	97''	
Grey Capacity	38-GAL	76-GAL	38-GAL	
Black Capacity	38-GAL	38-GAL	38-GAL	
Fresh Capacity	52-GAL	52-GAL	52-GAL	



## GREY WULF WELF DEN FEATURES

### LIMITED PACKAGE

12 V, High Efficiency, 10 Cubic Foot Residential Refrigerator with Travel Lock

Chef Select Black Stainless Steel Kitchen

Suite Package

Super Kitchen

Seamless Countertops

Matte Black Heavy Duty Spring Assisted Kitchen

Faucet Sprayer

Residential Farm Style Black Stainless Steel Sink

Fireplace \* Where Available

Premium Bedding and Comforter

Upgraded Sofa with Bolster Arm Rests

Supersized Central Air Conditioning Unit 15,000

BTU \* Where Available

**USB-C Charging Stations** 

Full Hybrid Tub with Shower Surround

LED Interior Lights

Light Filtering Sheet Shading Premium Blackout

Zebra Blinds

RV King Bed \* Where Available

Bedside Inverter

Exclusive Solar Thermo Controlled Reflective Tinted

Safety Glass Windows

Blackout Glass, Safety Slam, Friction Hinge Entry

Door with Window and Shade Prep

Cherokee Exclusive Stable Step with Oversized

Landing

Exterior LED Light Strip at Awning

External Porch Scare Light

Outside Kitchen \* Where Available

Premium Wheel Package

Tire Pressure Indicators

Spare Tire

Four Stabilizer Jacks

Ladder Prep

Cherokee Backup Camera System

12 Volt Tank Heaters

Ramp Door Patio System

\* Toyhauler Models Only

Removable Gaucho Brackets

\* Toyhauler Models Only

Moonshade \* Toyhauler Models Only

Adventure Package \* Aggressive Off-road Tires, Diamond Plated Exterior & Lifted Frame-

**Toyhauler Models Only** 

Juice Pack \* 200W Roof Mounted Solar Panel, 30

Amp Solar Charger, Volt Meter & Battery Disconnect

Power Gear Frame Technology and

Space Saver Rail Design

5/8" Tongue and Groove Plywood Flooring

Seamless Roof Membrane with

Heat Reflectivity-Walkable

#### **BASE CAMP PACKAGE**

Black Waste Tank Flush Out Kit Armored Underbelly Tank Enclosure Flip Down Travel Rack \* NA on Toyhauler Models Large Exterior Folding Assist Grab Handle Outdoor Shower with Hot and Cold Water

Outside TV Bracket and Hookups

**Power Awning** 

RV Grill Quick Connect

### **CAMPFIRE PACKAGE**

40" Dinette Drawers x 2 on Models with Slide Outs

Tankless Water Heater

Cabinets in Bedroom

High Output Attic Fan in Bathroom

Roof Mounted Ducted Air Conditioner

\* NA on models under 26'

Skylight over Shower

Solid Bedroom Doors \* Where Available

\* Not All Features are Available on EV Models









using a QR reader o our smart phone to learn more about



WWW.FORESTRIVERINC.COM/CHEROKEE 574,264,6664



#### PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



### 24/7 EMERGENCY **ROADSIDE ASSISTANCE** WITH VEHICLE PURCHASE\*

TOWING JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT SERVICE

WINCH-OUT MOBILE MECHANIC **TECHNICAL** SUPPORT DEALER LOCATOR SERVICES



VALID FOR 1 YEAR FROM DATE OF PURCHASE



### YOUR CHEROKEE DEALER

SPECIFICATION DEFINITIONS GVWR (Gross Vehicle Weight Rating) is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR. / GAWR (Gross Axle Weight Rating) is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles. // UVW (Unloaded Vehicle Weight)\*-is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and IP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.
\*\*Estimated average based on standard build optional equipment. // CCC (Cargo Carrying Capacity)\*\*-is the amount of weight available for fresh potable water, and the properties of the cargo carrying capacity)\*-is the amount of weight available for fresh potable water, and the properties of the pro cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity. \*\* Estimated average based on standard build optional equipment. Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all ávailable space when loading your unit.