

Quality, Value & Innovation Since 1983

INNSBRUCK RVing is in

26 Floor Plans! Among Innsbruck Lite, Travel Trailer, Lodge & Fifth Wheels

28 RLR shown in Red Rock

Even though nature surrounds you, your breath of fresh air will come from Innsbruck's main living

space upon entry. Expand the slide-outs and you have a true home on wheels that will take you on adventure after adventure.

Whether relaxing alone or sharing quality travel time with family and friends, the Innsbruck offers functional floor plans that don't forget stylish design, comfort and warmth.

Hardwood cabinet doors finished richly by Gulf Stream's craftsmen offer more than enough storage space surrounding the focal fireplace and entertainment center flanked by vertical windows that bring outdoors in.

E-Z store sofa does just that. Gain access to linens and supplies easily behind and underneath the cushions. There is storage everywhere in an Innsbruck!

Dine in

28 RLR dinette shown in Red Rock

It's hard to not appear a happy homemaker when bustling throughout the Innsbruck kitchen with its large residential style kitchen sink, high watt carousel microwave, & large double door refrigerator/freezer with adjustable thermostat. The galley features a 3-burner high output range and large oven, deep overhead cabinets, shelved pantry, backsplash, as well as bar stools and enlarged two-tier counter top (based on specific floor plan).

Decorator valences frame and add a finishing touch to the dinette booth that can comfortably seat up to eight hungry campers.

398 DLS Galley

INNSBRUCK Stay in

Incre-TABLE! Versatile seating from dinner for 2

to a party of 8 Nobody's left out during dinner, snacks, or games. Everybody has fun and is comfortable seated around the dinette that includes two cushioned cube stools for those whose philosophy is the more the merrier! *(Smart solution storage available under queen bed for stools.)*

By arranging the portable bench seats and table you can convert the Incre-TABLE into the setup that best suits your needs





suits your needs... from seating for a gathering of 8, to a u-shaped dinette for 6, to bench seating for 4.

Settle in

Hide & Sleep! Out of sight is out of mind. Sweet dreams...

Handsome

surroundings follow through to the sleeping area where rest will come easily on an innerspring mattress beneath a quilted comforter. Whether you choose a king or queen size bed (based on floor plan), the "Lift-up" storage area is standard in all the Innsbruck travel trailers and fifth wheels to better accommodate your storage needs.

INNSBRUCK Sleep in

Leave the tents in the backyard. Enjoy the comfort and privacy of the bunk house.

More than kid-friendly, young boys and girls and teens are thrilled with their casual sleeping quarters that can include a single bunk over a double bed with storage and more sleeping room across the way. Siblings, cousins, or just good friends will remember what dreams are made of when they vacation in the Innsbruck.

From bed to bath, a smart glass corner shower and compact high performance sink know their duties.



5

Details



3 in 1 feature • from sofa to sleeper to extra hidden storage



AM/FM/CD/DVD Touch Plex stereo theatre



Lined drawers with roller bearing guides for ease and cleanliness



Crank out windows keep you dry while circulating fresh air

Quality Construction

① Gulf Stream constructs each coach using only the finest quality materials. The 5/8" floor decking is both glued and screwed to the sturdy 2x3 floor joists which are 13" on center and fully insulated. Then the floor assembly is bolted to the steel frame, providing one of the strongest floor systems on the market!

(2) At Gulf Stream, we go through several rigid inspections that include water, gas, electrical, structural, and of course, cosmetic aspects of your new RV.

3 Micro-lam (laminated wood

headers) are used in slide-room openings. These eliminate the warping that many other manufacturers experience.

(4) A secondary "cap seal" is applied over all exterior corner joints. The "cap seal" is a non-silicone base sealant that will not blacken or yellow with time.

(5) Our roofs are 4 ¼2″ solid wood bow truss rafters. They are designed for good drainage and maximum strength. Features include • Double trusses are used at the air conditioner ducts. • Optional central air conditioner uses ¼″ insulated foam duct work (a coffee cup is only 1/8″) and radius joints for maximum air flow and comfort.
• Backers are installed where all interior equipment is screwed in from below (not shown). • Wood decking is glued, screwed and topped with a one-piece seamless roof (not shown).

6 Gulf Stream uses the best slide room system construction techniques, many that we have pioneered to become the industry leader.

4 ¼" tall by ¼" thick steel support beam is a unique feature used on all "Super-Slide" models. This gives Gulf Stream a true "Clear Span" slide room.













INNSBRUCK Standard Features

- Hard-wired Slide Rooms
- Contemporary White Doors and Windows
- Large Double Door Refrigerator w/Thermostat
- Gas Water heater w/ Auto Ignition
- Pass-Thru Storage on Most Models
- 13,500 BTU Air Conditioner
- Decorator Mini-Blinds Standard!
- Color Coordinated Awning
- 30" Wide Radius Entry Door w/ Window
- Hardwood Mortise & Tenon Cabinet Doors
- Carousel Microwave Oven
- E-Z Store Sofa Easiest Access Around!
- Large Storage Chest Behind Sofa SlidesQueen Bed w/ Innerspring Mattress
- (most models)Wall Mounted Light Switches
- incl. Bathroom
- Designer Bedspreads
- LP Leak Detector & CO2 Detector
- Smoke Detector
- Roller Bearing Drawer Guides
- Space Saver Under Floor Water Tank - 54 gal.
- Power Roof Vent in Bath
- Deluxe Wallpaper Border in Living Room
- Cable TV Hook-Up
- Bed-Lift Pistons (where applicable)
- Rain Guard Gutter Rail w/ Down Spouts
- Insulated Exterior Storage Compartments
- TV Antenna w/ Booster
- EZ Access Gas Bottle Cover
- Patio and Hitch Lights
- Step Light
- Pass Through Storage Light
- Sewer Termination Lights
- Large Residential Style Kitchen Sink
- Double or Triple Easy-Open Entry Steps
- AM/FM/CD/DVD Touch Plex
- Stereo Theatre
- Water Heater Bypass
 Eviter TV leads in Padra
- Extra TV Jack in Bedroom
- Systems Monitor Panel
- In-Floor Insulated Ducted Heat (frees up more cabinet space)
- Power Range Hood w/ Light and Fan
- All Walls Mounted ON Floors (not next to them)
- Decked One-Piece Roof Featuring a 12-Year Warranty

- 2 x 4 ¹/₂" Residential Style Bow Truss Roof System (strongest construction available) w/ Ducted Air Conditioner Option
- Sidewalls are Screwed to Ceiling and Floor and Strapped w/ Strong Galvanized Steel Straps
- Dadoed Belt-Rail Wall Construction Combined w/ Galvanized Steel Straps & Screws for Unmatched UNI-BODY Strength
- 5/8" Floor Decking Glued & Screwed
- Hand-cut & Glued Fiberglass Insulation
- Clear Span Power Slide-Out Rooms w/ Steel Header
- Solid Box & I-Beam Heavy Duty Steel Frames

Supreme Package includes:

- Pleated Shades
- Residential Door Casing
- Scare Light
- Residential Medicine Cabinet
- Glass in Slide Room Overhead Doors
- Outside Speakers
- Swing Away Grab Handle
- Pots-n-Pans Drawer

Popular Options

- 4 Door Slide-Out Overhead Cabinet
- Tub ipo Shower Pan
- Fiberglass "Slick Side" Exterior
- Roof Rack and Ladder
- Hide-a-Bed Sofa (select Slide-Outs)
- Spare Tire, Carrier and Cover
- Bright Trim Package: Wheel Trim & Polished Bumper Cover,
 - Swing Away Assist Handle
- Outside Shower
- Sunroom Option
 (w/ Table, 4 Chairs, 4 Vista Windows)
- 2 or 4 DR Slide-Out Overhead Cabinets
- Crank Down Stabilizer Jacks
- Electric Hitch Jacks (5th Wheels)
- Self Cleaning Shower Door
- Ceiling Paddle Fan (Lodge Series & 5th Wheels)
- Fantastic Attic Fan

Interior Decor



INNSBRUCK Lite Serie Travel Trailers		All weights shown are in dry con- dition, without options or fluids. Please add additional options and features. Consult the weight tag inside kitchen cabinet and your tow vehicle owners manual for more information.
PASS-DHR TOWNER BERTY DOCUME BERTY DOCUME BERTY DOCUME BERTY DOCUME DOCUME DOCUME DEC	MODEL 20 BHL Length 23'9" Height w/AC 9'11" Carrying Capacity 3,350 Hitch Weight 480	Dry Weight 4,130 Fresh Water 54 Waste Water Tank 74 Dual LP Bottles 20 lbs Furnace BTU's 25,000
	MODEL 22 MBL Length 23'9" Height w/AC 9'11" Carrying Capacity 2,290 Hitch Weight 440	Dry Weight 4,450 Fresh Water 54 Waste Water Tank 74 Dual LP Bottles 20 lbs Furnace BTU's 25,000



MODEL 23 BWL	Dr
Length 26'10"	Fre
Height w/AC 9'11"	Wa
Carrying Capacity 2,970	Du
Carrying Capacity 2,970 Hitch Weight 720	Fur
6	

26'1" 9'11"

MODEL 24 BHL

Dry Weight	4,750
Fresh Water	54
Waste Water Tank	74
Dual LP Bottles	20 lbs
Furnace BTU's	25,000

Fresh Water Tank 74 Dual LP Bottles 20 lbs Furnace BTU's 25,000

Dry Weight

4,232





MODEL 24 R	BL	Dry Weight	4,098
Length	26′1″	Fresh Water	54
Height w/AC	9′11″	Waste Water Tank	< 74
Carrying Capacit	y 3,312	Dual LP Bottles	20 lbs
Carrying Capacit Hitch Weight	ź 410	Furnace BTU's	25,000





MODEL 24 RKL

MODEL 24 RK	
Length	27'11"
Height w/AC	10'9"
Carrying Capacity	1,890
Carrying Capacity Hitch Weight	890

Dry Weight Fresh Water 5,683 54 Waste Water Tank 74 Dual LP Bottles 20 20 lbs Furnace BTU's 25,000

MODEL 259 BHL Length Height w/AC 28'11" 10'9" Carrying Capacity 1,820 Hitch Weight 730

5,910 54 Dry Weight Fresh Water Waste Water Tank 74 Dual LP Bottles 20 20 lbs Furnace BTU's 25,000



MODEL 269 BHL 30'8" Length 10'9" Height w/AC Carrying Capacity 1,710 Hitch Weight 820 Dry Weight Fresh Water 6,110 54 Waste Water Tank 74 20 lbs **Dual LP Bottles** Furnace BTU's 25,000





MODEL 27 DSL Length Height w/AC 31'5" 10'9" Carrying Capacity 1,810 Hitch Weight 990 Dry Weight 6,1 Fresh Water 54 Waste Water Tank 74 6,180 20 lbs 25,000 Dual LP Bottles Furnace BTU's

MODEL 275 FSL Length 29'10' Height w/AC 10'1" Carrying Capacity 2,060 Hitch Weight 710

Dry Weight Fresh Water 29'10" Furnace BTU's

5,650 54 Waste Water Tank 74 **Dual LP Bottles** 20 lbs 25,000





MODEL 291 SI	BW I	
Length	34'4"	
Height w/AC	10'9"	
Carrying Capacity Hitch Weight	3,670	
Hitch Weight	1,060	
	the second se	

Dry Weight	7,430
Fresh Water	51
Waste Water Tank	111
Dual LP Bottles	30 lbs
Furnace BTU's	30,000



MODEL 295 BHS Length 32'4" Height w/AC 10'9" Carrying Capacity 4,266 Hitch Weight 720

Dry Weight	6,614
Fresh Water	55
Waste Water Tank	78
Dual LP Bottles	30 lbs
Furnace BTU's	30,000



* Outside kitchen available

MODEL 297 D	BS
Length	32'7"
Height w/AC	10'9"
Carrying Capacity	3,260
Carrying Capacity Hitch Weight	720

Dry Weight Fresh Water Waste Water Tank Dual LP Bottles Furnace BTU's 6,691 51 74 30 lbs 30,000 30,000



* Outside kitchen available

MODEL 32 TBRLength35'8"Height w/AC10'9"Carrying Capacity3,140Hitch Weight990

Dry Weight 7,890 Fresh Water 51 Waste Water Tank 74 Dual LP Bottles 30 lbs Furnace BTU's 30,000

INNSBRUCK Lodge Serie Travel Trailers	S	<i>Features:</i> • 16 CF Residential Refrigerators • 10 Gal DSI 110 Volt, Water Heaters • Detachable Hitch • Patio Door
	MODEL 34 FLS Length 34'4" Height w/AC 10'9" Carrying Capacity 3,314 Hitch Weight 1,340	Dry Weight 8,066 Fresh Water NA Waste Water Tank 74 Dual LP Bottles 30 lbs Furnace BTU's 30,000
	MODEL 35 FKS Length 35'2" Height w/AC 10'9" Carrying Capacity 2,350 Hitch Weight 1,020	Dry Weight 8,710 Fresh Water NA Waste Water Tank 74 Dual LP Bottles 30 lbs Furnace BTU's 30,000
	MODEL 398 DLS Length 35'7" Height w/AC 10'9" Interior Height 90" Carrying Capacity 2,310 Hitch Weight 1,300	Dry Weight 9,030 Fresh Water NA Waste Water Tank 111 Dual LP Bottles 30 lbs Furnace BTU's 30,000
	MODEL 398 FRS Length 35'7" Height w/AC 10'9" Interior Height 90" Carrying Capacity 2,310 Hitch Weight 1,300	Dry Weight 9,030 Fresh Water NA Waste Water Tank 111 Dual LP Bottles 30 lbs Furnace BTU's 30,000
	MODEL 408 TBS Length 36'2" Height w/AC 10'9" Interior Height 90" Carrying Capacity 1,830 Hitch Weight 1,360	Dry Weight 9,570 Fresh Water NA Waste Water Tank 148 Dual LP Bottles 30 lbs Furnace BTU's 30,000





MODEL 24 FT	BS
Length	27'5"
Height w/AC	11′3″
Carrying Capacity	1,840
Hitch Weight	1.150

Dry Weight Fresh Water	6,310
Fresh Water	55
Waste Water Tank	78
Dual LP Bottles	30 lbs
Furnace BTU's	25,000



MODEL 245 FBW Length 28'3 Height w/AC 11'3 28'3" Carrying Capacity 1,961 Hitch Weight 1,390

Dry Weight Fresh Water Waste Water Tank 78 **Dual LP Bottles** Furnace BTU's

6,429 55 30 lbs 25,000





MODEL 27 FRLR Length 30 Height w/AC 12 30'11" 12' Carrying Capacity 3,260 Hitch Weight 1,480

Dry Weight Fresh Water 8,260 55 Waste Water Tank 78 Dual LP Bottles 30 30 lbs Furnace BTU's 25,000

MODEL 28 FWBH Length 31'4" Height w/AC 12' Carrying Capacity 4,160 Hitch Weight 1,930 Dry Weight Fresh Water 7,810 55 Waste Water Tank 117 **Dual LP Bottles** 30 lbs 30,000 Furnace BTU's



- 1. One-piece, seamless roof with 12-year warranty
- 2. Strong wood roof decking, glued and screwed
- 3. Thick blanket of fiberglass insulation
- 4. 4 1/2" residential style bowed roof truss system (not particle board)
- 5. Insulated air conditioning duct system with radius corners for improved air flow (optional)
- 6. Interior ceiling board
- 7. Galvanized steel straps used to increase the roof-to-sidewall transition strength and solidify our uni-body construction
- 8. Sturdy 2 x 2 wood sidewall construction, 16" on centers (walls are always set on the floor, not next to it, for maximum strength, and screwed into place)
- 9. Dadoed belt rail construction through the middle of the side and end walls provides additional uni-body strength
- 10. Thick blanket of fiberglass insulation, hand cut and fit
- for long lasting energy efficiency 11. Glue used to bond hand cut insulation to interior wall board to eliminate possible slipping or movement
 to eliminate possible slipping or movement
 12. Exterior aluminum siding with baked enamel finish
 13. Butyl caulking for superior seal and less black streaks
 14. Drip rail/awning rail, screwed to roof framing
 babe loop unit cleap

- helps keep unit clean
- 15. Galvanized steel straps used to increase the sidewall-to-floor transition strength and solidify our uni-body construction
 16. Tough poly max underbelly wrapped up sides and ends, protects against moisture and road debris
 17. Blush durpha residential to be construction for the construction of the construction of
- Plush, durable residential-style carpeting (Supreme)
- 18. Thick foam carpet padding (Supreme)
- 19. 5/8" floor decking screwed and glued20. Floor decking glued and screwed to floor joists
- 21. Thick blanket of fiberglass insulation
- 22. Sturdy 2 x 3 wood floor joist system, 13" or less O.C.
 23. 2 x 6 tubular steel frame (up to 30') 8" I-Beam frame
- (32' and up) 24. Full width steel outriggers superior strength and support
- 25. Steel bolts secure floor to steel outriggers
- 26. Exterior metal is screwed into floor framing from side, not stapled from the bottom, preventing leaks

Post Office Box 1005 Nappanee, IN 46550 • Your Gulf Stream Coach Dealer •

Quality, Value & Innovation Since 1983 Gulf Stream Coach is a privately owned company with over 26 years of RV manufacturing experience.

INCENNES UNIVERS

UALITY

RODUCTIVI

ATINUM

WARD

RV dealers and consumers look to Gulf Stream for high-value products offering quality construction, innovative features, contemporary design, unmatched service, and continual support.

Gulf Stream offers the largest product line in the industry. From entry level travel trailers to luxury motorhomes - all use the most advanced manufacturing techniques.

www.GulfStreamcoach.com

INNSBRUCK 24 Month Warranty on Structural Components*

In addition to our standard one year warranty, Gulf Stream Coach, Inc. offers an exclusive 24 month warranty on structural components. In addition, major component manufacturers are providing 24 month warranties on their products installed in Gulf Stream units such as refrigerator, antenna, furnace, water heater, air conditioner, awning, range, microwave and more. See official written Gulf Stream warranty for complete details and restrictions.

> For more information and available options, contact your local Gulf Stream Dealer, www.GulfStreamcoach.com, or Gulf Stream Coach, Inc. Gulf Stream: Reserves the right to make changes in prices, colors, materials, components, and specifications and to discontinue models at any time without notice or obligation. Assumes no responsibility for any error in type or print reproduction of specifications or floor plans in this brochure. Photos may show equipment or items that are optional and are not included in the price of the trailer. ©2010 Gulf Stream Coach, Inc. Nappanee, Indiana U.S.A. 40m/2/10